

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P0897P2

Serial No.

08/446,915

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

Goeddel and Rothe

Filing Date

22 May 1995

Group

1860

U.S. PATENT DOCUMENTS

| Examiner Initials | Document Number | Date | Name | Class | Subclass | Filing Date |
|-------------------|-----------------|-----------|----------|------------------|----------|-------------|
| <i>g</i> | 1 | 4,861,587 | 29.10.89 | Urbaschek et al. | 424 | 85.1 |

FOREIGN PATENT DOCUMENTS

| Examiner Initials | Document Number | Date | Country | Class | Subclass | Translation Yes | No |
|-------------------|-----------------|---------|----------|-------|----------|-----------------|-----|
| <i>g</i> | 2 | 417,563 | 20.03.91 | EPO | <i>—</i> | <i>—</i> | YES |
| <i>g</i> | 3 | 418,014 | 20.03.91 | EPO | <i>—</i> | <i>—</i> | |

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

| | | |
|----------|----|---|
| <i>g</i> | 4 | Clonotech Catalog pps. 19, 192-194 (1994) |
| <i>g</i> | 5 | Pharmacia Catalog pps. 133, 142-143 (1994) |
| <i>g</i> | 6 | Berg, J., "Zinc Fingers and Other Metal-Binding Domains" <u>Journal of Biological Chemistry</u> 265(12):6513-6516 (1990) |
| <i>g</i> | 7 | Beutler, B. and Cerami, A., "Tumor necrosis, cachexia, shock, and inflammation: a common mediator" <u>Ann. Rev. Biochem.</u> 57:505-518 (1988) |
| <i>g</i> | 8 | Blake et al., "The sequences of the human and mouse c-cbl proto-oncogenes show v-cbl was generated by a large truncation encompassing a proline-rich domain and a leucine zipper-like motif" <u>Oncogene</u> 6:653-657 (1991) |
| <i>g</i> | 9 | Brockhaus et al., "Identification of two types of tumor necrosis factor receptors on human cell lines by monoclonal antibodies" <u>Proc. Natl. Acad. Sci. USA</u> 87:3127-3131 (1990) |
| <i>g</i> | 10 | Chan et al., "Molecular definition and sequence motifs of the 52-kD component of human SS-A/Ro Autoantigen" <u>J. Clin. Invest.</u> 87:68-76 (1991) |
| <i>g</i> | 11 | Cheng et al., "Science" 267 267(8):1494-1498 (1995) |
| <i>g</i> | 12 | Chevray et al., "Protein interaction cloning in yeast: identification of mammalian proteins that react with the Leucine Zipper of June" <u>Proc. Natl. Acad. Sci. USA</u> 89:5789-5793 (1992) |
| <i>g</i> | 13 | Chien et al., "The Two-Hybrid System: A method to identify and clone genes for proteins that interact with a protein of interest" <u>Proc. Natl. Acad. Sci. USA</u> 88:9578-9582 (1991) |
| <i>g</i> | 14 | Deng et al., "COP1, an arabidopsis regulatory gene, encodes a protein with both a zinc-binding motif and a G, homologous domain" <u>Cell</u> 71:791-801 (1992) |
| <i>g</i> | 15 | Driscoll and Williams, "Two divergently transcribed genes of dictyostelium discoideum are cyclic AMP-inducible and coregulated during development" <u>Molecular & Cellular Biology</u> 7(12):4482-4489 (1987) |
| <i>g</i> | 16 | Engelman et al., "Antibodies to a Soluble Form of a Tumor Necrosis Factor (TNF) Receptor Have TNF-like Activity" <u>Journal of Biological Chemistry</u> 265:14497-14504 (1990) |
| <i>g</i> | 17 | Espevik et al., "Characterization of binding and biological effects of monoclonal antibodies against a human tumor necrosis factor receptor" <u>Journal of Experimental Medicine</u> 171:415-426 (1990) |
| <i>g</i> | 18 | Fields and Song, "A novel genetic system to detect protein-protein interactions" <u>Nature</u> 340:245-246 (1989) |

Examiner

John D. Cline

Date Considered

12-13-96

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P0897P2

Serial No.

08/446,915

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

Goeddel and Rothe

Filing Date

22 May 1995

Group

1800

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

| | |
|----|---|
| 19 | Fiers, W., "Tumor necrosis factor characterization at the molecular, cellular and In Vivo level" <u>FEBS Letters</u> 285(2):199-212 (1991) |
| 20 | Freemont et al., "A novel cysteine-rich sequence motif" <u>Cell</u> 64:483-484 (1991) |
| 21 | Goeddel et al., "Tumor necrosis factors: gene structure and biological activities" <u>Cold Spring Harbor Symposia on Quantit. Biol.</u> 51:597-609 (1986) |
| 22 | Goodwin et al., "Molecular cloning and expression of the type 1 and type 2 murine receptors for tumor necrosis factor" <u>Molecular & Cellular Biology</u> 11:3020-3026 (1991) |
| 23 | Gray et al., "Cloning and expression of cDNA for human lymphotoxin, a lymphokine with tumour necrosis activity" <u>Nature</u> 312:721-724 (1984) |
| 24 | Haupt et al., "Novel zinc finger gene implicated as myc collaborator by retrovirally accelerated lymphomagenesis in Eμ-myc transgenic mice" <u>Cell</u> 65:753-763 (1991) |
| 25 | Hohmann et al., "Expression of the types A and B tumor necrosis factor (TNF) receptors is independently regulated, and both receptors mediate activation of the transcription factor NF-κB" <u>Journal of Biological Chemistry</u> 265:22409-22417 (1990) |
| 26 | Hohmann et al., "Two different cell types have different major receptors for human tumor necrosis factor (TNFα)" <u>Journal of Biological Chemistry</u> 264:14927-14934 (1989) |
| 27 | Hu et al., "A novel RING finger protein interacts with the cytoplasmic domain of CD40" <u>Journal of Biological Chemistry</u> 269(48):30069-30072 (1994) |
| 28 | Inoue et al., "Genomic binding-site cloning reveals an estrogen-responsive gene that encodes a ring finger protein" <u>Proc. Natl. Acad. Sci. USA</u> 90:11117-11121 (1993) |
| 29 | Inui et al., "Identification of the intracytoplasmic region essential for signal transduction through a B cell activation molecule, CD40" <u>European Journal of Immunology</u> 20:1747-1753 (1990) |
| 30 | Itoh et al., "Protein heterogeneity in the human Ro/SSA ribonucleoproteins" <u>J. Clin. Invest.</u> 87:177-186 (1991) |
| 31 | Jones et al., "The saccharomyces cerevisiae RAD18 gene encodes a protein that contains potential zinc finger domains for nucleic acid binding and a putative nucleotide binding sequence" <u>Nucl. Acids Res.</u> 16(14):7119-7131 (1988) |
| 32 | Kohn et al., "A second tumor necrosis factor receptor gene product can shed a naturally occurring tumor necrosis factor inhibitor" <u>Proc. Natl. Acad. Sci. USA</u> 87:8331-8335 (1990) |
| 33 | Laegreid et al. <u>Journal of Biological Chemistry</u> 269:7785-7791 (1994) |
| 34 | Landschulz et al., "The leucine zipper: a hypothetical structure common to a new class of DNA binding proteins" <u>Science</u> 204:1759-1764 (1988) |
| 35 | Lenardo and Baltimore, "NF-κB: A pleiotropic mediator of inducible and tissue-specific gene control" <u>Cell</u> 58:227-229 (1989) |
| 36 | Lewis et al., "Cloning and expression of cDNAs for two distinct murine tumor necrosis factor receptors demonstrate one receptor is species specific" <u>Proc. Natl. Acad. Sci. USA</u> 88:2830-2834 (1991) |
| 37 | Loetscher et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosis Factor Receptor" <u>Cell</u> 61:351-359 (April 20, 1990) |
| 38 | Mardon and Page, "The sex-determining region of the mouse Y chromosome encodes a protein with a highly acidic domain and 13 zinc fingers" <u>Cell</u> 56:765-770 (1989) |

Examiner

John D. Cline

Date Considered

12-13-96

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P0897P2

Serial No.

08/446,915

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

Goeddel and Rothe

Filing Date

22 May 1995

Group

1800

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

| | |
|----|--|
| 39 | Miller et al., "Repetitive zinc-binding domains in the protein transcription factor IIIA from <i>Xenopus</i> Oocytes" <u>EMBO Journal</u> 4(6):1609-1614 (1985) |
| 40 | Miyatake et al., "Structure of the chromosomal gene for granulocyte-macrophage colony stimulating factor: comparison of the mouse and human genes" <u>EMBO Journal</u> 4:2561-2568 (1985) |
| 41 | Mosialos et al., "The Epstein-Barr virus transforming protein LMP1 engages signaling proteins for the tumor necrosis factor receptor family" <u>Cell</u> 80:389-399 (1995) |
| 42 | Naume, B. et al. <u>J. Immunol.</u> 146:3035-3048 (1991) |
| 43 | Neta et al., "Comparison of the In Vivo effects of rIL-1 and rTNF in radioprotection, induction of CSF and of acute phase reactants" <u>Fed. Proc.</u> (Abstract) 46(4):1200 (1987) |
| 44 | Neta et al., "Interdependence of the radioprotective effects of human recombinant interleukin 1 α , tumor necrosis factor α , granulocyte colony-stimulating factor, and murine recombinant granulocyte-macrophage colony-stimulating factor" <u>J. Immunol.</u> 140(1):108-111 (1988) |
| 45 | Neta et al., "Interleukin 1 is a radioprotector" <u>J. Immunol.</u> 136(7):2483-2485 (April 1, 1986) |
| 46 | Nietfeld et al., "Second-order repeats in <i>xenopus laevis</i> finger proteins" <u>J. Mol. Biol.</u> 208:639-659 (1989) |
| 47 | Nopfar et al., "Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA for the type I TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor" <u>EMBO Journal</u> 9:3269-3278 (1990) |
| 48 | Old, L.J., "Tumor Necrosis Factor" <u>Sci. Am.</u> 258(5):59-75 (1988) |
| 49 | Opipari et al., "The A20 cDNA induced by tumor necrosis factor α encodes a Novel type of zinc finger protein" <u>Journal of Biological Chemistry</u> 265:14705-14708 (1990) |
| 50 | Patarca et al., "rpt-1, an intracellular protein from helper/inducer T cells that regulates gene expression of interleukin 2 receptor and human immunodeficiency virus type 1" <u>Proc. Natl. Acad. Sci. USA</u> 85:2733-2737 (1988) |
| 51 | Pennica et al., "Human tumour necrosis factor: precursor structure, expression and homology to lymphotoxin" <u>Nature</u> 312:724-729 (1984) |
| 52 | Reddy et al., "A novel zinc finger coiled-coil domain in a family of nuclear proteins" <u>Trends Biochem. Sci.</u> 17:344-345 (1992) |
| 53 | Rothe et al., "A novel family of putative signal transducers associated with the cytoplasmic domain of the 75 kDa tumor necrosis factor receptor" <u>Cell</u> 78:681-692 (1994) |
| 54 | Ruiz i Altaba et al., "Xfin: an embryonic gene encoding a multifingered protein in <i>Xenopus</i> " <u>EMBO Journal</u> 6(10):3065-3070 (1987) |
| 55 | Schall et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor" <u>Cell</u> 61:361-370 (April 20, 1990) |
| 56 | Schatz et al., "The V(D)J recombination activating gene, RAG-1" <u>Cell</u> 59:1035-1048 (1989) |
| 57 | Schindler and Baichwal, "Three NF-kB binding sites in the human E-selectin gene required for maximal tumor necrosis factor alpha-induced expression" <u>Molecular & Cellular Biology</u> 14(9):5820-5831 (1994) |
| 58 | Shalaby et al., "Binding and regulation of cellular functions by monoclonal antibodies against human tumor necrosis factor receptors" <u>Journal of Experimental Medicine</u> 172:1517-1520 (1990) |

Examiner

Dawn R. Cline

Date Considered

12-13-96

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P0897P2

Serial No.

08/446,915

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

Goeddel and Rothe

Filing Date

22 May 1995

Group

1812

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

[illegible]

Examiner

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P0897P2

Serial No.

08/446,915

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

Goeddel and Rothe

Filing Date

22 May 1995

Group

1812

FOREIGN PATENT DOCUMENTS

| Examiner Initials | | Document Number | Date | Country | Class | Subclass | Translation | |
|----------------------|----|-----------------|----------|------------------|-------|----------|-------------|----|
| | | | | | | | Yes | No |
| <i>[Signature]</i> | 75 | WO 96/01642 | 25.01.96 | WO 96/01642 x | | | | |

Examiner

John A. [Signature]

Date Considered

11-13-96

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P0897P2

Serial No.

08/446,915

Applicant

Goeddel and Rothe

Filing Date

22 May 1995

Group

1812

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

76 Song et al., "Association of a RING Finger Protein with the Cytoplasmic Domain of the Human Type-2 Tumour Necrosis Factor Receptor" Biochemical Journal 309:825-829 (1995) X

Examiner

Date Considered

12-11-96

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.